

MATERIAL SAFETY DATA SHEET

Name: PROMINENT PAINTS RIPPLE TROWEL-ON

Date Issued: 26/09/01



Environment



SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION

Name : PROMINENT PAINTS RIPPLE TROWEL-ON

Date Issued : 26/09/01

CAS no. : n/a EC no. : n/a

UN No. : 1263 Hazchem : 3[Y] SAPMA : 3-H-E

In emergency contact Prominent Paints (Mr. Johan Batist) at (011) 3894600

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

[,N R50]

EC Classification : N R50 S56,59

HAZARDOUS AND/OR OTHER RELEVANT COMPONENTS

COPPER OXIDE <25%

[CAS #: 1317-39-1] [E.C. #: 029-002-00-X]

EEC Labels : XN OEL 1.0mg CU

AMMONIUM HYDROXIDE <5%

[CAS #: 1336-21-6] [E.C. #: 007-001-01-2]

EEC Labels : C N OEL 17mg OEL 25ppm STOEL 24mg STOEL 35ppm RL

(CL/RL = Controlled/Recommended level 'S' = Skin annotation)

SECTION 3. HAZARDS IDENTIFICATION

SAPMA Health Rating : 3-SLIGHT - Irritation or minor reversible injury possible

Inhalation : NOTES PHRASES (FIELD 1) - USE ARROWS TO SELECT.

Skin : Irritating, risk of dermatitis. May be absorbed.

Eyes : Irritating.

Ingestion : Irritating and nauseating.

No carcinogenic, mutagenic or genetic effects established

May cause undesirable effects to aquatic organisms.

SECTION 4. FIRST AID MEASURES

Inhalation : NOTES (FIELD 3)

Skin : Use hand cleaner/soap & water. Remove contaminated clothing. If any discomfort get medical attention

Eyes : Rinse immediately with plenty of water. Seek medical advice if symptoms persist.

Ingestion : Wash mouth with plenty of water. Do NOT induce vomiting. Seek medical attention.

SECTION 5. FIRE FIGHTING MEASURES

Dried residues - combustible with toxic fumes.

No direct explosion hazard expected.

SECTION 6. ACCIDENTAL RELEASE MEASURES - SEE ALSO SECTIONS 5, 8, 13

Contain & collect. Use an Inert NOT sawdust. Keep waste separate for disposal.

SECTION 7. HANDLING AND STORAGE

Store separately from any reactive substances - oxidisers in particular.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

SAPMA Rating : 3-H-E PPE : Respirator and Eye protection

Inhalation : NOTES (FIELD 2)

Skin : Use barrier cream and impervious gloves.

Eyes : Use face shield & goggles or full face respirator/hood. Avoid direct contact.

Ingestion : Observe the rules for hygiene. Wash before eating, drinking or smoking.

OEL Type : Mix- Mixture - See Section 2



SAPMA - E

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical class : eg : Paint Product Description : Water based dispersion Smell : Slight
Boil. pt : +- 100 C
FlashPoint : n/a
Water : miscible Oil : insoluble

SECTION 10. STABILITY AND REACTIVITY

Stable under normal conditions
Inert - no reaction with fire-fighting water

SECTION 11. TOXICOLOGICAL INFORMATION

No carcinogenic, mutagenic or genetic effects established

SECTION 12. ECOLOGICAL INFORMATION

May cause undesirable effects to aquatic organisms.

SECTION 13. DISPOSAL INFORMATION

Hazardous. Use reputable waste disposal contractors. Destroy used containers.

SECTION 14. TRANSPORT INFORMATION

UN no : 1263 Packing group : III IMO Class : 6.1 IMO Subsid : 8
Hazchem : 3[Y]



SECTION 15. REGULATORY INFORMATION

EC no. : n/a
EC Classification : N R50 S56,59
R50 - Very toxic to aquatic organisms
S56 - Do not discharge into drains or the environment, dispose to an authorised waste collection point
S59 - Refer to manufacturer/supplier for information on recovery/recycling



Environment

SECTION 16. OTHER INFORMATION

IN CASE OF ANY DISCOMFORT ALWAYS SEEK MEDICAL ADVICE.

This MSDS conforms with General Administrative Regulations of 6 Sept.1996 (ISO-11014/ANSIZ400.1.1996)
OELs derived from OHS Act Regulations for Dangerous Chemical Substances of 25 Aug.1995 (EH-42)
SAPMA Rating - South African Paint Manufacturers Association Guide to Health Hazards (SABS ARP 006:1991)
All information is given in good faith but without guarantee in respect of accuracy.
No responsibility is accepted for errors or omissions or the consequences thereof.