SAFETY DATA SHEET

Date of issue/Date of revision

Version : 15 February 2023 : 4.01 PROMINENT

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: PROMINENT PAINTS SELECT HIGH COVER MATT
Product code	: 12522DSA0135

Product type

: Liquid.

Other means of identification

00377325; 00377326

1.2 Relevant identified uses of the substance or mixture and uses advised against

	Identified uses
Frofessional painting Professional spray pa	, indoor brush/roller ainting, indoor (Level I & II)
Product use	: Consumer applications, Professional applications, Used by spraying, Application by non spray methods

1.3 Details of the supplier of the safety data sheet

Prominent Paints	
11 Dan Jacobs Street,	
Alrode, PO Box 136166, Alberto	n North 1456
South Africa	
Tel: 0027 113 89 46 00	
Fax: 0027 113 89 46 41	
e-mail address of person : responsible for this SDS	☑ wstomercare@prominentpaints.co.za
1.4 Emergency telephone :	+27 86 177 66 46

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture **Product definition** : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Skin Sens. 1, H317 Aquatic Chronic 3, H412 The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 16 for the full text of the H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements Hazard pictograms



Signal word

number



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II		
Code : 12522DSA013	35	Date of issue/Date of revision : 15 February 2023
PROMINENT PAINTS SELEC	Τŀ	IIGH COVER MATT
SECTION 2: Hazards	; ic	lentification
Hazard statements	1	May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
Precautionary statements		
General	1	Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	:	Wear protective gloves. Avoid release to the environment. Avoid breathing vapour.
Response	1	Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention.
Storage	1	Not applicable.
Disposal	1	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	1	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1)
Supplemental label elements	:	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requiren	ner	<u>ts</u>
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	1	Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB	1	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	-	None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
proprietary hydrous aluminum silicate	CAS: SUB130127	≥5.0 - <10	STOT RE 2, H373 (lungs, nervous system)	STOT RE 2, H373: C ≥ 10%	[1] [2]
reaction mass of 5-chloro- 2-methyl-2H-isothiazol- 3-one and 2-methyl-2H- isothiazol-3-one (3:1)	REACH #: 01-2120764691-48 EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5	<0.025	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	ATE [Oral] = 53 mg/kg ATE [Dermal] = 50 mg/ kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: $C \ge 0.6\%$ Skin Irrit. 2, H315: $0.06\% \le C < 0.6\%$ Eye Dam. 1, H318: $C \ge 0.6\%$ Eye Irrit. 2, H319:	
		English	(GB) South	n Africa	2/12

Conforms to Regulation (EC) No. 190	/2006 (REACH), Annex II
Code : 12522DSA0135	Date of issue/Date of revision : 15 February 2023
PROMINENT PAINTS SELECT HIGH	OVER MATT
SECTION 3: Composition/	formation on ingredients
	0.06% ≤ C < 0.6% Skin Sens. 1, H317: C ≥ 0.0015% M [Acute] = 100 M [Chronic] = 100See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

	English (GB) South Africa 3/	/12
Specific treatments	: No specific treatment.	
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 	
4.3 Indication of any imm	nediate medical attention and special treatment needed	
Ingestion	: No specific data.	
Skin contact	: Adverse symptoms may include the following: irritation redness	
Inhalation	: No specific data.	
Eye contact	: No specific data.	
<u>Over-exposure signs/sy</u>	<u>ymptoms</u>	
Ingestion	: No known significant effects or critical hazards.	
Skin contact	: May cause an allergic skin reaction.	
Inhalation	: No known significant effects or critical hazards.	
Eye contact	: No known significant effects or critical hazards.	
Potential acute health e	effects	

Conforms to Regulation (EC)	No. 1907/2006 (REACH)	, Annex II	
Code : 12522DSA013	35	Date of issue/Date of revision	: 15 February 2023
PROMINENT PAINTS SELEC	T HIGH COVER MATT		
SECTION 5: Firefigh	ting measures		
5.1 Extinguishing media			
Suitable extinguishing media	: Use an extinguishing	agent suitable for the surrounding fire.	
Unsuitable extinguishing media	: None known.		
5.2 Special hazards arising f	rom the substance or m	ixture	
Hazards from the substance or mixture	material is harmful to	a pressure increase will occur and the con aquatic life with long lasting effects. Fire contained and prevented from being disc	water contaminated with
Hazardous combustion products	: Decomposition produ carbon oxides metal oxide/oxides	cts may include the following materials:	
5.3 Advice for firefighters			
Special precautions for fire-fighters		cene by removing all persons from the vi tion shall be taken involving any personal	
Special protective equipment for fire-fighters	apparatus (SCBA) wi for fire-fighters (includ	vear appropriate protective equipment and th a full face-piece operated in positive pr ding helmets, protective boots and gloves provide a basic level of protection for che	essure mode. Clothing conforming to European

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

or reconding precoudions, pre	teenre equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3 Methods and material for	containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II		
Code	: 12522DSA0135	Date of issue/Date of revision

PROMINENT PAINTS SELECT HIGH COVER MATT

vate of Issue/Date of revision

SECTION 6: Accidental release measures

6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment.
	See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 5 to 35°C (41 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
7 3 Specific and use(s)	

7.3 Specific end use(s)

See Section 1.2 for Identified uses.

Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values			
proprietary hydrous aluminum silicate	ACGIH TLV (United States, 2014). TWA: 1 mg/m ³ , (Aluminum metal and insoluble compounds) Form: Respirable dust			
procedures Standard EN 689 by inhalation to o strategy) Europe application and u biological agents requirements for	d be made to monitoring standards, such as the following: European 9 (Workplace atmospheres - Guidance for the assessment of exposure chemical agents for comparison with limit values and measurement ean Standard EN 14042 (Workplace atmospheres - Guide for the use of procedures for the assessment of exposure to chemical and b) European Standard EN 482 (Workplace atmospheres - General the performance of procedures for the measurement of chemical action attional guidance documents for methods for the determination			

English (GB)	South Africa	5/12

ode : 12522DSA01	No. 1907/2006 (REACH), Annex II Date of issue/Date of revision : 15 February 2023
ROMINENT PAINTS SELEC	•
SECTION 8: Exposu	re controls/personal protection
•	of hazardous substances will also be required.
.2 Exposure controls	
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measu	<u>ires</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection <u>Skin protection</u>	: Safety glasses with side shields.
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommended. The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
Gloves	: nitrile rubber, butyl rubber, PVC, Viton®
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Colour	: White.
Odour	: Faint odour. [Slight]
Odour threshold	: Not available.

English (GB)

Code : 12522DSA0135			Date of	issue/[Date of revision	on	: 15 F	ebruary 2023
PROMINENT PAINTS SELECT H	lIGH	COVER MATT						2
SECTION 9: Physical a	nd	chemical pro	perties					
Melting point/freezing point		May start to solidify a for the following ingr			mperature: 0°C	C (32°F) ⁻	This is ba	sed on data
Initial boiling point and boiling range	: :	>37.78°C						
Flammability	: 1	Not available.						
Upper/lower flammability or explosive limits	: 1	Not available.						
Flash point	: (Closed cup: Not app	licable.					
Auto-ignition temperature	: 1	Not available.						
Decomposition temperature	: :	Stable under recom	mended st	orage a	nd handling co	onditions	(see Sec	tion 7).
рН	: 8	8.2		_	_			·
Viscosity	1	Kinematic (40°C): >	21 mm²/s					
Viscosity	:	> 100 s (ISO 6mm)						
Solubility(ies)	1							
Media		Result						
old water		Partially soluble						
Partition coefficient: n-octanol water	/:	Not applicable.						
Vapour pressure	- :		Vapour Pressure at 20°C		Vapour pressure at 50		sure at 50°C	
		Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
		water	23.8	3.2				
Evaporation rate	: 1	Not available.					!	
Relative density	: :	: 1.36						
Explosive properties	: 1	The product itself is	not explos	ive, but	the formation	of an exp	olosible n	nixture of

Oxidising properties Particle characteristics Median particle size

: Not applicable.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.

: Product does not present an oxidizing hazard.

Code : 12522DSA0135

PROMINENT PAINTS SELECT HIGH COVER MATT

Date of issue/Date of revision

SECTION 10: Stability and reactivity

10.6 Hazardous decomposition products

: Depending on conditions, decomposition products may include the following materials: carbon oxides metal oxide/oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredien	t name	Result	Species	Dose	Exposure
Peaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		LD50 Oral	Rat	53 mg/kg	-
Conclusion/Summary	: There are	no data available on the mixtu	ure itself.		
Irritation/Corrosion					
Conclusion/Summary					
Skin	: There are n	o data available on the mixtu	re itself.		
Eyes	: There are n	o data available on the mixtu	re itself.		
Respiratory	: There are n	o data available on the mixtu	re itself.		
Sensitisation					
Conclusion/Summary					
Skin	: There are I	no data available on the mixtu	ure itself.		
Respiratory	: There are I	no data available on the mixtu	ure itself.		
Mutagenicity					
Conclusion/Summary	: There are I	no data available on the mixtu	ure itself.		
Carcinogenicity					
Conclusion/Summary	: There are I	no data available on the mixtu	ure itself.		
Reproductive toxicity					
Conclusion/Summary	: There are I	no data available on the mixtu	ure itself.		
Teratogenicity					
Conclusion/Summary	: There are I	no data available on the mixtu	ure itself.		
Specific target organ toxic	city (single expo	osure)			
Not available.					

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
proprietary hydrous aluminum silicate	Category 2	-	lungs, nervous system

Aspiration hazard

Not available.

Information on likely	: Not available.
routes of exposure	
Potential acute health offe	cts

Potential acute health effects			
Inhalation	: No known significant effects or critical hazards.		
Ingestion	: No known significant effects or critical hazards.		
Skin contact	: May cause an allergic skin reaction.		
Eye contact	: No known significant effects or critical hazards.		
Symptoms related to the physical, chemical and toxicological characteristics			
Inhalation	: No specific data.		

English (GB)

Conforms to Regulation (EC)	Nc	. 1907/2006 (REACH), Ar	inex II	
Code : 12522DSA0135 PROMINENT PAINTS SELECT HIGH COVER MATT		Date of issue/Date of revision : 15 Feb	: 15 February 2023	
SECTION 11: Toxico	0	gical information		
Ingestion	1	No specific data.		
Skin contact	:	Adverse symptoms may i irritation redness	include the following:	
Eye contact	:	No specific data.		
Delayed and immediate effe	cts	as well as chronic effec	ts from short and long-term exposure	<u>e</u>
Short term exposure				
Potential immediate effects	:	Not available.		
Potential delayed effects	:	Not available.		
Long term exposure				
Potential immediate effects	:	Not available.		
Potential delayed effects	:	Not available.		
Potential chronic health effe	ect	<u>S</u>		
Not available.				
Conclusion/Summary	:	Not available.		
General	:	Once sensitized, a sever very low levels.	e allergic reaction may occur when subs	equently exposed to
Carcinogenicity	:	No known significant effe	cts or critical hazards.	
Mutagenicity	:	No known significant effe	cts or critical hazards.	
Reproductive toxicity	:	No known significant effe	cts or critical hazards.	

Other information : Not available.

Contains isothiazolinones. May cause allergic reaction.

11.2 Information on other hazards

- 11.2.1 Endocrine disrupting properties
- Not available.
- 11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary : There are no data available on the mixture itself.

12.2 Persistence and degradability

Conclusion/Summary :	: There are no data available on the mixture itself.
----------------------	--

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

English (GB)

Date of issue/Date of revision

Empty containers or liners may retain some product residues. Avoid dispersal of spilt

material and runoff and contact with soil, waterways, drains and sewers.

SECTION 12: Ecological information

PROMINENT PAINTS SELECT HIGH COVER MATT

: 12522DSA0135

12.6 Endocrine disrupting properties

Not available.

Code

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

3.1 Waste treatment meth	nods		
Product			
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.		
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.		
Packaging			
Methods of disposal	 The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. 		
Type of packaging	European waste catalogue (EWC)		
Container	15 01 06 mixed packaging		
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out.		

SECTION 14: Transport information

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

ADR/RID : None identified. IMDG

: None identified.

Conforms to Regulation (EC) No. 1907/2006 (REACH), A	Annex II				
Code : 12522DSA0135	Date of issue/Date of revision	: 15 February 2023			
PROMINENT PAINTS SELECT HIGH COVER MATT	PROMINENT PAINTS SELECT HIGH COVER MATT				
SECTION 14: Transport information					
IATA : None identified.					
14.6 Special precautions for user: Transport within user upright and secure. Ens event of an accident or	sure that persons transporting the produc				
14.7 Transport in bulk : Not applicable. according to IMO instruments					
SECTION 15: Regulatory information					
15.1 Safety, health and environmental regulations/legi	slation specific for the substance or r	nixture			
EU Regulation (EC) No. 1907/2006 (REACH)					
Annex XIV - List of substances subject to authorisation	<u>tion</u>				
Annex XIV					
None of the components are listed.					
Substances of very high concern					
None of the components are listed.					
Annex XVII - Restrictions : Not applicable. on the manufacture,					
placing on the market					
and use of certain					
dangerous substances,					
mixtures and articles					
Other national and international regulations.					
Ozone depleting substances (1005/2009/EU) Not listed.					

15.2 Chemical safety	: No Chemical Safety Assessment has been carried out.	

assessment

SECTION 16: Other information

Abbreviations and	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
acronyms	1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number
Full text of abbreviated H statements	 H301 Toxic if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract.
Full text of classifications [CLP/GHS]	

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II			
Code : 12522DSA0	135	Date of issue/Date of revision	: 15 February 2023
PROMINENT PAINTS SELE	ECT HIGH COVER MATT		
SECTION 16: Other information			
	: Acute Tox. 2 Acute Tox. 3 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 3 Eye Dam. 1 Skin Corr. 1C Skin Sens. 1 Skin Sens. 1A STOT RE 2	ACUTE TOXICITY - Category 2 ACUTE TOXICITY - Category 3 SHORT-TERM (ACUTE) AQUATIO LONG-TERM (CHRONIC) AQUAT LONG-TERM (CHRONIC) AQUAT SERIOUS EYE DAMAGE/EYE IRF SKIN CORROSION/IRRITATION - SKIN SENSITISATION - Category SKIN SENSITISATION - Category SPECIFIC TARGET ORGAN TOX EXPOSURE - Category 2	IC HAZARD - Category 1 IC HAZARD - Category 3 RITATION - Category 1 Category 1C 1 1A
<u>History</u>			
Date of issue/ Date of revision	: 15 February 2023		
Date of previous issue	: 26 July 2021		
Prepared by	: EHS		
Version	: 4.01		
Disclaimer			

<u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.